

ST KILDA 200, CITY FAÇADE

Façade is for Illustration purposes only











LOT 287 NEW ROAD, **VILLAGE GREEN ESTATE.** PALMVIEW QLD 4553

Land Size 336 m²

Land Price \$373,000

Registration June,2023

200.01 m² **House Area**

\$388,199 **House Price**

TOTAL TURNKEY PRICE:

\$761,199

Date: 04/04/23 **Price Expiry:** 04/05/23

Inclusion Level: DESIGNER PR5167 PR Number:



City façade inclusions:

- Combination of face brick & render to front façade
- Colorbond roof & Garage door
- 1200mm paint grade entry door
- 1x Sliding window & 2x wall mounted up down lights

Designer Collection Inclusion Highlights:


- Turnkey inclusions with landscaping, fencing, driveway & quality floor coverings
- 2440mm ceiling height, Colorbond roof, sarking to roof & all external walls
- 900mm kitchen appliances, undermount sink with square neck mixer
- 20mm waterfall end engineered stone kitchen bench with 2x pendant lights
- 20mm engineered stone bench tops to all vanities, upgraded tapware & basins
- Back-to-wall toilet suites & shower wall niche in bathrooms
- Plus much more, please refer to the Designer Collection Inclusions brochure

Inclusion Upgrades:

- Lapped and capped fencing with painted fence returns
- Additional landscaping as per covenant requirements
- Secureview screen or similar to front façade window as per covenant requirements

ST KILDA 200

Living Area	140.56 m ²
Garage	37.77 m ²
Porch	5.53 m ²
Alfresco	16.15 m ²
Total House Area	200.01 m ²





HIGHLIGHTS

Single Storey (Qld)

- Turnkey Package
- 20 year structural guarantee and a 12 month defect liability period
- 900mm kitchen appliances, undermount sink with square neck mixer
- ✓ 20mm Engineered stone kitchen benchtop with waterfall ends and 2 x pendant lights
- All vanities with 20mm Engineered stone benchtops plus upgraded tapware and basins
- ✓ Back to wall toilet suites and shower wall niches
- 1 x 6.5kw split system A/C to main living area
 1 x 2.5kw split system A/C to main bedroom
- 2440mm ceiling height, Colorbond roof plus sarking to roof and all external walls
- Full floor coverings package with quality floor tiles and carpet
- Complete landscaping and fencing package including "A" grade turf



EXTERNAL WORKS

- Landscaping "A" grade turf to front and rear garden as per landscaping plans, garden bed to front only with drought tolerant plants and edging (or as per Covenant requirements)
- · Exposed aggregate concrete to driveway and paths
- · Alfresco and porch to include exposed aggregate concrete
- Butted timber paling fencing to side and rear boundaries where there is no existing fence, including side return fencing and 1 x pedestrian side gate (or as per Covenant requirements)
- Full perimeter termite treatment and penetration collars to Australian Standard AS36601.1-2014
- 1 x clothesline
- 1 x pre-fabricated pillar letterbox in painted finish with street number from builder's standard range
- 1 x TV antenna (Estate dependent)

FRAMING & EXTERNAL FEATURES

- T2 Termite treated frames and trusses to engineer's design
- Face brick, render and cladding combination to front facade from builder's standard range depending on chosen facade design and Covenant requirements
- · Colorbond sheet metal roof, fascia and gutter
- · Colorbond panel-lift garage door with 2 x remotes
- 2440mm ceiling height with painted FC infills over windows and doors

WINDOWS

- All windows and glass sliding doors with powder-coated aluminium frames from builder's standard range
- Roller blinds to all windows and sliding doors (excluding wet areas and garage windows)
- Barrier screens to opening section of windows and sliding doors
- · Obscured glass to bathroom, ensuite and WC windows
- Windows on upper level of 2 storey dwelling to be fitted with window restrictors if the fall is 2 meters or greater

ELECTRICAL

- 1 x 6.5kw split system A/C to living area
- 1 x 2.5kw split system A/C to main bedroom
- · 2 x TV and phone points (design specific)
- Single power point to fridge space, dishwasher, microwave space, rangehood and garage door motor
- · All remaining power points to be double throughout
- 1 x double USB power point to kitchen and 2 x to main bedroom
- LED downlight fittings to be supplied and installed
- 2 x pendant lights positioned above kitchen island bench from builder's standard range
- 1200mm single fluorescent light with diffuser to garage
- · Ceiling fans to all bedrooms, living area and alfresco
- Smoke detectors wired to a 240v supply to comply with AS3786 2021 NCC 2019 V2 Part 3.7.5
- Safety switch to meter box
- NBN basic provisions supplied by Builder Owner to organise connection by preferred Service Provider



KITCHEN

- Omega OCC90TZ 900mm electric ceramic cooktop or similar
- Omega OBO960X1 900mm electric under bench oven or similar
- Robinhood RSOF90XCOM 900mm slide-out recirculating rangehood or similar with stainless steel trim built into existing overhead cupboards
- Omega ODW700X 600mm stainless steel dishwasher or similar
- · Raymor Sigma double bowl undermount sink
- Raymor Sigma chrome square neck kitchen sink mixer
- 20mm Engineered stone benchtops with 20mm waterfall ends to island bench from builder's standard range (design specific)
- Fully laminated under bench cupboards with white melamine shelving and drawers including 1x bank of 4x cutlery drawers from builder's standard range
- Overhead cupboards above cooktop bench and rangehood
- Plasterboard bulkhead to overhead kitchen cupboards with 2 x downlights included
- Walk-in pantry to include open whiteboard cleated shelving OR built-in pantry with fixed and adjustable white melamine shelving (design specific)
- · Soft close hinge clips to all cabinetry doors
- Brushed nickel Kudos handles to all cabinet doors and drawers
- Straight lay ceramic tiles to splashback from builder's standard range (refer to colour selections document)
- 1 x cold water point to fridge provision space

BATHROOM & ENSUITE

- All vanities include 20mm Engineered stone tops and laminated doors from builder's standard range
- Brushed nickel Kudos handles to cabinet doors and drawers
- Fienza Petra square semi-recessed basins to all bathrooms
- · Raymor Sigma chrome basin mixers to all bathrooms
- Frameless mirrors above vanities (size at builder's discretion)
- Semi-frameless shower screens with fully frameless pivot door, standard polished silver hinges and knobs
- Raymor Sigma 3-function chrome square hand shower with rail to all bathrooms
- Raymor Projix 1525mm inset bath to main bathroom
- · Raymor Sigma chrome bath wall spout to main bathroom
- · Raymor Sigma chrome mixers to all bathroom showers
- · Raymor Edge II rimless back to wall toilet suite
- · Raymor Edge II chrome toilet roll holder
- Raymor Edge II chrome double towel rail 780mm
- · Exhaust fans to all bathrooms
- Energy efficient Chromagen 170L electric heat pump hot water system (produces up to 360L of hot water per day)
- Recessed shower wall niche to all bathrooms (size at builder's discretion)

LAUNDRY

- · Raymor Projix 45L laundry tub and cabinet
- · Raymor Sigma chrome mixer
- Straight lay ceramic tiles to splashback from builder's standard range

FLOOR COVERINGS

- · Ceramic tiles to all wet areas from builder's standard range
- Ceramic tiles to entry, hallways, kitchen, living and dining areas from builder's standard range
- Carpet to all bedrooms and media room from builder's standard range (design specific)

DOORS & ROBES

- Hinged paint grade front entry door with clear glazed glass inserts from builder's standard range (design specific)
- · Front door fitted with tri-locking system door furniture
- Magnetic door stop to front door only
- · Accent HAG9 internal swing doors
- Internal doors fitted with lever door furniture from builder's standard range (privacy set to wet areas only)
- Built-in robes to all bedrooms including chrome hanging rail and shelf (design specific)
- Mirrored sliders to all bedroom robe doors (design specific)
- · Vinyl sliders to all linen doors (design specific)
- · 4 x shelves to linen cupboard
- · 1x shelf to broom cupboard

INSULATION/ENERGY EFFICIENCY

- R2.5 insulation batts to all habitable areas or as per Energy Efficiency Requirements (excluding alfresco and porch)
- · Sarking to roof and all external walls
- · Weather strips to external doors as required

PAINT & LININGS

- 10mm plasterboard to all ceilings and walls (10mm WR board to all wet areas)
- 90mm cove cornice throughout and 50mm to robes
- 4.5mm FC sheeting to patio area and alfresco
- 42mm x 12mm architraves with 68mm x 12mm skirtings (single beveled) from builder's standard range
- Dulux Paints 3 coat system throughout
- 1x sealer coat and 2x coats low sheen to walls
- 2 x coats flat finish to ceilings
- 1 x sealer coat and 2 x coats semi-gloss aquanamel to all trims

FEES & WARRANTIES

- Energy ratings to meet Building Code requirements
- 20 year structural guarantee
- 12 month defect liability period
- Soil/Contour Survey (if required), Building, Plumbing and Engineering approvals and associated application fees
- Connection of sewerage, stormwater, power and water within the property boundaries in accordance with local authorities and to site-specific builder's requirements unless otherwise stated
- · Covenant application and lodgement (if required)





Come home to comfort with the Designer inclusions.



Omega OBO960X1 900mm electric under bench oven



Omega OCC90TZ 900mm electric ceramic cooktop



Robinhood RSOF90XCOM 900mm slide-out recirculating rangehood stainless steel trim



Raymor Sigma double bowl undermount sink



Raymor Sigma chrome square neck kitchen sink mixer



2 x pendant lights positioned above kitchen island bench from builder's standard range





Wednesday, 18 January 2023





Rental Estimate

Lot 287 New Road, Palmview Qld 4553

Thank you for the opportunity to provide a rental estimate on the above property.

I confirm that the estimated rental capacity of approximately \$640.00-\$670.00 per week is achievable in the current rental market, based on rents that have been achieved in the surrounding area recently.

Please note, this should not be considered as a guaranteed rental capacity, rather an estimation based on our expert opinion of today's rental market.

We would welcome the opportunity provide you with our investors pack information and provide helpful advice on how to maximise your rental yield. Should you have any questions or if I could be of any further assistance, please don't hesitate to contact me by telephone 5564 3200 or email b.douglas@oliverhume.com.au

Yours Faithfully,



Ben Douglas General Manager – Asset Management (QLD) Oliver Hume Queensland Property Management

Disclaimer -

This is a current rental appraisal and is subject to change depending on market conditions, such as supply and demand. This appraisal is not a valuation, which is carried out by a licensed valuer. This appraisal is an opinion on the rental market rate and should not be solely replied upon. Oliver Hume will not be responsible should the appraisal or any part thereof be incorrect or incomplete in any way. Any opinions expressed in this letter may be personal to the author and may not necessarily reflect the opinion of Oliver Hume.

BRISBANE

Ground Floor, 26 Reddacliff Street Gasworks Precinct Newstead Queensland 4006 PO Box 1447, Broadbeach QLD 4218 **T** 07 3216 1666 F 07 3216 1555 **E** queensland@oliverhume.com.au




ABN 206 197 244 08

Suite 19C, Level 19 50 Cavill Avenue, Surfers Paradise QLD 4217 PO Box 1447, Broadbeach QLD 4218 **T** 07 5564 3200

www.oliverhume.com.au





DISCLOSURE PLAN

For Proposed Lot 287 Village Green - Stage 7A

Currently Described As
RPD: Part of Lot 1003 on SP324949
Locality: Palmview
Local Authority: Sunshine Coast Regional

Legend: Finished Surface Contours (0.1m Interval)

Depth of Fill Contours (0.1m Interval)

Easement Boundary

Kerb Line

Sewer/Sewer Manhole

Stormwater/Stormwater Manhole

Stormwater Gully Trap

RV RV RV ROFWater/Roofwater Pit

Kerb Adapter

Water/Water Meter

Area to be Filled

Retaining Wall

RW
ARW
Retaining Wall Height
Average Retaining Wall Height
(Retaining Wall Heights shown on the lowerside of the wall)

Design Pad Level

Proposed Driveway

Zero Lot Line Boundary

1.8m High Timber Acoustic Fence (Installed by Developer)

Notes:

RL57.32

N

1. This note is an integral part of this plan.

AS3798-2007 under Level 1 supervision.

- 2. Finished surface contours, depth of fill contours, retaining wall details and proposed services provided by Peak Urban on 03-06-2022.
- Location of retaining walls are indicative only. Site conditions will dictate construction limits to the material, location, length & thickness of these walls.
- 4. This plan has been prepared under the current legislation for the purpose of presales and should not be used for any other purpose. This plan may not contain all services which affect the subject lot and is based on design information only. This plan should not be used for any detailed designs. 5. Compaction of fill to be completed in accordance with
- 6. This plan has been prepared by Wolter Consulting Group Pty Ltd, Cadastral Surveyor to satisfy Section 11 of the Land Sales Act QLD 1984 (as amended).





Planning 🗗 Urban Design 🍪 Landscape 💭 Environment 🧥 Surveying

HORIZONTAL MERIDIAN MGA

2 0 2 4
Scale 1:200 @A3

LEVEL DATUM AHD.

DATE DRAWN 06-07-2022

/N DRAWING NO. 2 SS3787_07A-01-287 VERSION B



Disclaimer: the information shown on this plan has been prepared with care, however is subject to change and cannot form part of any other offer or contract, other than to identify the lot number and location of the block being purchased. Whilst every reasonable care has been taken in preparing this information, PEET does not warrant its accuracy. Interested parties must be sure to undertake their own independent enquiries and, where applicable, obtain appropriate professional advice relevant to their particular circumstances. All information is subject to change without notice. Lot information is subject to survey and Titles Office approval. For additional details, please refer to the Design Guidelines. Photographs are indicative only. Final produce may differ from that illustrated. Map indicative only.



